




COLLECTION



STEEL PROTECTION SYSTEM



COLOUR LOCK™



SOUND GUARD™



WWW.PARKMEDIA.CA

INNOVATIVE PRODUCTS FOR THE FENCE INDUSTRY

DESIGNED BY: **PARK**
MEDIA



WWW.DIRECTFENCINGSUPPLY.CA



DIRECT FENCING SUPPLY

COLOUR LOCK™ PVC FENCING TECHNOLOGY



Tan Jasper Fence

At DFS, we proudly offer Colour-Lock™ PVC fencing, an exclusive advanced formula designed to deliver superior colour retention, durability, and long-term performance. Colour-Lock™ provides your vinyl fence with industry-leading protection, helping it maintain its appearance for years. Unlike standard vinyl fencing, DFS uses high-grade acrylic coating technology combined with advanced additives to protect against UV exposure, fading, chalking, and harsh weather conditions. We do not offer low-grade PVC colour coatings on any of our profiles.

Built for Canadian Climates

Colour-Lock™ technology is engineered to protect both the colour and surface of your PVC fence far longer than standard vinyl systems. Designed specifically for Canada's extreme weather, our fences withstand intense sun, freezing temperatures, snow, wind, and seasonal temperature swings. Backed by a strong warranty, Colour-Lock™ delivers long-lasting strength, stability, and colour integrity you can trust.

The Smarter Choice in Vinyl Fencing

While many companies claim to offer PVC-coated or vinyl fencing, not all products are equal. Colour-Lock™ helps prevent premature fading, chalking, and costly replacements, making it the smart choice for residential, commercial, and contractor applications.

DFS is proud to be Canada's leading innovator in PVC fencing, offering one of the most advanced colour-fade protection systems available.

Quality is our culture — let us prove it to you.



CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





PRIVACY FENCE

JASPER

2 RAIL COLOUR OPTIONS:



Bottom rail with standard aluminum insert.

Dimensions:

- Height: 3' - 6' Width 8'
- Height: 7' - 8' Width 6' (w/ Mid-Rail)

Materials:

- Post: 5" x 5"
- Top Rail: 2" x 6"
- Middle Rail: 2" x 6"
- Bottom Rail: 2" x 6"
- Tongue & Groove: 7/8" x 11.3"
- U Channel: 1 3/8" Deep x 1" Wide

Additional Features:

- Matching Gate: Available
- Colour Options: Available in all colours

* For more details, please contact your sales representative.

2

CALL TOLL-FREE: 1-888-751-5324



WWW.PARKMEDIA.CA

directfencingsupply.ca



WWW.DIRECTFENCINGSUPPLY.CA



PRIVACY FENCE

JASPER



Bottom rail with HD aluminum insert.



Bottom rail with HD aluminum insert.



Bottom rail with HD aluminum insert.

3

CALL TOLL-FREE: 1-888-751-5324



WWW.PARKMEDIA.CA

directfencingsupply.ca



WWW.DIRECTFENCINGSUPPLY.CA



PRIVACY FENCE

JASPER 3 RAIL OPTIONS:



BOREAL SERIES OPTIONS:



All rails with aluminum inserts (Mid-Rail Required)



HD Insert in Bottom Rail (Mid-Rail Not Required)



All rails with aluminum inserts (Mid-Rail Required)

4

CALL TOLL-FREE: 1-888-751-5324



WWW.PARKMEDIA.CA

directfencingsupply.ca



WWW.DIRECTFENCINGSUPPLY.CA



DIRECT FENCING SUPPLY

LATTICE TOP OPTIONS



NIAGARA

Dimensions:

- Height: 3' - 8'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Middle Rail: 2" x 6"
- Bottom Rail: 2" x 6" (with insert)
- Lattice Panel: 11.75" x 91"
- Tongue & Groove: 7/8" x 11.3"
- U Channel: 1 3/8" Deep x 1" Wide

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white or two-toned options

* For more details, please contact your sales representative.



CYPRESS

PICKET TOP OPTIONS



HADFIELD

Dimensions:

- Height: 3' - 8'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Middle Rail: 2" x 6"
- Bottom Rail: 2" x 6" (with insert)
- Picket: 1.5" x 1.5" (22 pieces)
- Tongue & Groove: 7/8" x 11.3"
- U Channel: 1 3/8" Deep x 1" Wide

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white or two-toned options

* For more details, please contact your sales representative.




FAIRMONT





SEMI-PRIVACY FENCE



HURON

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Post: 5" x 5"
- Top Rail: 2" x 6"
- Middle Rail: 2" x 3.5"
- Bottom Rail: 2" x 6" (with insert)
- Picket: 6" x 7/8"

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white

* For more details, please contact your sales representative.



6

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DIRECTFENCINGSUPPLY.CA



PICKET FENCE



CLOVERDALE I

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (15 pieces)
- Picket Caps: Spade cap

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



CLOVERDALE II



EVERGREEN I

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (15 pieces)
- Picket Caps: Dog Ear cap

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



EVERGREEN II





PICKET FENCE



Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (15 pieces), fixed on the outside of rail
- Picket Caps: Spade cap

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



ELMS GATE II



Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (15 pieces), fixed on the outside of rail
- Picket Caps: Dog Ear cap

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



OAKSIDE II





PICKET FENCE



BIRCHWOOD I



BIRCHWOOD II

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Post: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 1 1/2" x 1 1/2" (22 pieces)
- Picket Caps: Sharp Picket Cap

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white

* For more details, please contact your sales representative.





POOL FENCE



LAKESIDE

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (15 pieces)

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.

10

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





DIRECT FENCING SUPPLY



CLEARBROOK

Dimensions:

- Height: 3' - 8'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Middle Rail: 2" x 3.5"
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 1.5" x 1.5" (22 pieces)

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



DRIFTWOOD

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Middle Rail: 2" x 3.5" (included for heights over 4')
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 7/8" x 3" (9 pieces) and 6" picket (8 pieces)

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.



CLEARVIEW

Dimensions:

- Height: 3' - 6'
- Width: 8'

Materials:

- Posts: 5" x 5"
- Top Rail: 2" x 3.5"
- Middle Rail: 2" x 3.5" (included for heights over 4')
- Bottom Rail: 2" x 3.5" or 2" x 6" (both with inserts)
- Picket: 1.5" x 1.5" (22 pieces)

Additional Features:

- Matching Gate: Available
- Colour Options: Available in white

* For more details, please contact your sales representative.





RANCH FENCE



ELDORADO III

Dimensions:

- Height: 54"
- Width: 8'

Materials:

- Posts Dimensions: 5" x 5"
- Rail Dimensions: 1.5" x 5.5" (3 rails)

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white.

* For more details, please contact your sales representative.



ELDORADO IV

Dimensions:

- Height: 60"
- Width: 8'

Materials:

- Posts Dimensions: 5" x 5"
- Rail Dimensions: 1.5" x 5.5" (4 rails)

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white.

* For more details, please contact your sales representative.



ELDORADO II

Dimensions:

- Height: 39"
- Width: 8'

Materials:

- Posts Dimensions: 5" x 5"
- Rail Dimensions: 1.5" x 5.5" (2 rails)

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white.

* For more details, please contact your sales representative.



SUNNYDALE

Dimensions:

- Height: 54"
- Width: 8'

Materials:

- Posts Dimensions: 5" x 5"
- Rail Dimensions: 1.5" x 5.5" (4 rails)

Additional Features:

- Matching Gate: Available upon request.
- Colour Options: Available in white.

* For more details, please contact your sales representative.

12

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





MALDEN


ORNAMENTAL STEEL FENCE

Specifications: 3/4"x3/4"-18GA Picket | 1-9/16"x1-3/16"x1-9/16"-14GA Rails | 14GA, 16GA & 11GA Posts

Malden Metals fences are engineered with premium materials for durability and adaptability. Our rackable design ensures smooth installation, even on sloped terrains.


PRIMARY APPLICATIONS

- Residential homes
- Condominiums
- Townhouses
- Apartments
- Cottages
- High-sloped areas



RACKABLE PANELS

Designed to rack up to 40°, Malden Metals fences seamlessly adapt to uneven landscapes.



20 YEAR LIMITED WARRANTY

Manufactured with the highest-grade materials, Malden Metals fencing comes with a 20-year warranty, ensuring long-lasting performance and quality.


TRUE GUARD™ PROTECTION SYSTEM

- Fully galvanized with a 180g Zinc Mass coating for rust prevention.
- Enhanced adhesion through a seven-stage zinc phosphate pre-treatment.
- Welds and edges coated with zinc-rich epoxy primer.
- Finished with anti-corrosion polyester powder coating for superior weather resistance.



Choose from various styles like Buxton, Caldwell, and Richmond, with durable rails and panel designs tailored for any aesthetic.

STYLE OPTIONS



Choose from various styles like Buxton, Caldwell, and Richmond, with durable rails and panel designs tailored for any aesthetic.

MORE LAYERS, MORE PROTECTION



13

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA




WWW.MALDENMETALS.CA



ORNAMENTAL FENCE

BUXTON



The Buxton is a sleek, modern fence that combines style with durability. Perfect for any project, it provides both enhanced security and contemporary aesthetics.

STANDARD PANEL SIZES

- 3' / 34" panel height
- 4' / 46" panel height
- 5' / 58" panel height
- 6' / 70" panel height

STANDARD POST SIZES

- 2" 16GA - 96" and 108"
- 2 1/2" 14GA - 96" and 108"
- 3 1/2" 11GA - 108" - 192"

BRACKET OPTIONS



SWIVEL BRACKET "R"



UNIVERSAL BRACKET



LINE BRACKET



FLAT MOUNT BRACKET

14

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





ORNAMENTAL FENCE

CALDWELL



The Caldwell features extended pickets and a uniform flat top for a stylish and smooth finish, making it ideal for any application.

STANDARD PANEL SIZES

- 4' / 46" panel height
- 5' / 58" panel height
- 6' / 70" panel height

STANDARD POST SIZES

- 2" 16GA - 96" and 108"
- 2 1/2" 14GA - 96" and 108"
- 3 1/2" 11GA - 108" - 192"

BRACKET OPTIONS



SWIVEL BRACKET "R"



UNIVERSAL BRACKET



LINE BRACKET



FLAT MOUNT BRACKET

15

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





ORNAMENTAL FENCE

RICHMOND



The Richmond features extended spear-shaped pickets for a striking design that combines security with timeless aesthetics, perfect for enhancing any home or business.

STANDARD PANEL SIZES

- 4' / 46" panel height
- 5' / 58" panel height
- 6' / 70" panel height

STANDARD POST SIZES

- 2" 16GA - 96" and 108"
- 2 1/2" 14GA - 96" and 108"
- 3 1/2" 11GA - 108" - 192"

BRACKET OPTIONS



SWIVEL BRACKET "R"



UNIVERSAL BRACKET



LINE BRACKET



FLAT MOUNT BRACKET

16

CALL TOLL-FREE: 1-888-751-5324


directfencingsupply.ca





ORNAMENTAL FENCE

DEFENDER



The Defender is a security-grade ornamental fence with a curved, spear-topped design engineered to deter climbing and unauthorized access. Suitable for commercial, industrial, and high-security applications where deterrence and durability are critical.

STANDARD PANEL SIZES

- 7" / 81" panel height
- 8' / 93" panel height

STANDARD POST SIZES

- 2.5" 14GA - 96" and 108"
- 3 1/2" 11GA - 108" - 192"

BRACKET OPTIONS



SWIVEL BRACKET "R"



UNIVERSAL BRACKET



LINE BRACKET



FLAT MOUNT BRACKET





WHY CHOOSE THE MOTTA BLOCK GATE KIT?

- **Weld-Free Convenience:** Simplifies gate installation with a no-welding design.
- **Customizable Fit:** Adjustable to fit a variety of gate sizes and fence styles.
- **Built to Last:** Durable materials and engineering for long-term performance.
- **Easy Assembly:** Quick and straightforward process for both DIYers and professionals.
- **Secure and Stable:** Features Motta Lock technology for a firm, reliable hold.

KEY FEATURES:

- **Innovative Weld-Free Design:** Eliminates the need for complex tools or skills.
- **Adjustable Size:** Can be tailored to fit your specific gate opening requirements.
- **High Durability:** Manufactured with premium materials for enhanced strength.
- **Professional Finish:** Provides a clean, polished look for your fencing project.
- **Trusted Performance:** Engineered to withstand various weather conditions.

WHAT'S INCLUDED:

- Welded fence panel
- Gate side rails
- Motta Blocks
- Motta Lock adhesive
- Hardware for assembly

MOTTA BLOCK INSTRUCTIONAL VIDEO



THE PERFECT SOLUTION FOR YOUR FENCING NEEDS:

Transform your outdoor spaces with the Motta Block Gate Kit, the ideal choice for homeowners and contractors seeking an elegant, practical, and long-lasting gate solution. Whether it's for residential, commercial, or industrial use, this kit offers unparalleled flexibility and ease of installation.

18

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.MALDENMETALS.CA



BARRIER FENCE

BARRIER FENCE SOUND WALL SYSTEM

Barrier Fence is expertly designed to deliver maximum noise reduction, whether it's commercial, industrial, traffic, or climate-related sound. Our lightweight panels are easy to install and require minimal maintenance.



IDEAL APPLICATIONS:

- ▶ Houses
- ▶ Condominiums
- ▶ Townhouses
- ▶ Apartments
- ▶ Cottages
- ▶ High Sloped Areas
- ▶ Swimming Pool/Hot Tub Surrounds
- ▶ New Residential & Commercial Structures
- ▶ Deck & Patio Railings
- ▶ New Residential & Commercial Renovations



SOUND GUARD™

AVAILABLE COLOURS



* Specialty colours, heights and widths are available on special orders. Please contact your sales rep for more information. *



19

INFO@DIRECTFENCINGSUPPLY.CA

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA




WWW.BARRIERFENCE.CA



BARRIER FENCE

PRODUCT FEATURES

- Lightweight, Easy Handling, Easy To Install
- Environmentally Friendly
- Impact Resistant
- Laboratory Tested Sound Suppression System
 STC 25 / OITC 24 Certified
- Repels Water and Blocks Wind 220 Km/h Certified
- High Curbside Appeal
- Multiple Colours Available
- Limited Expansion and Contraction
- Fire Resistant
- 30 Year Limited Warranty



BARRIER FENCE

An Industry Leader in Sound Barriers

20

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.BARRIERFENCE.CA



DIRECT FENCING SUPPLY

DISTRIBUTOR FOR



SS OR STEEL GATE LATCH



INT GATE LATCH



FLIP LATCH



SS OR STEEL GATE HINGE



SS OR STEEL 2-1/2" WRAP-AROUND SELF-CLOSING HINGE



2" WRAP-AROUND SELF-CLOSING STEEL HINGE



SELF-CLOSE SS ADJ HINGE SMALL PROFILE



BLUNT TEE HINGE



HEAVY DUTY SEALED BEARING HINGE



36" STEEL DROP ROD W/ SS BRACKETS



1" COMMERCIAL DROP ROD 36" LONG



GATE WHEEL





DIRECT FENCING SUPPLY



GATE BRACE



APEX SERIES™ TWO-SIDED
LOCKABLE NYLON GATE LATCH



APEX SERIES™ SELF-CLOSING
NYLON GATE HINGE



APEX SERIES™ NYLON ROUND POST
ADAPTER FOR 1-7/8", 2-3/8" & 2-7/8" PIPE



2" OR 2-1/2" FORK LATCH



2" OR 2-1/2" HINGE SET



2" AND 2-1/2" TWO PIECE
COVER PLATE



CANTILEVER GATE ROLLER



POST LEVELLING COLLAR
FOR 2-3/8" PIPE



STRAIGHT LINE POST COLLAR
FOR 2-3/8" PIPE



GATE HANDLE



2-3/8" BRACKET WOOD
TO ROUND POST

22

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.ATLASHARDWARE.CA



DIRECT FENCING SUPPLY

NATIONWIDE
INDUSTRIES™



CORNERSTONE 2 SELF-CLOSING
NON-ADJUSTABLE HINGE



CORNERSTONE SELF-CLOSING
FULLY ADJUSTABLE HINGE



CORNERSTONE 2 SELF-CLOSING
FULLY ADJUSTABLE HINGE



NYLON GATE HANDLE
WITH BUMPER



HEAVY DUTY SELF-CLOSING
CL HINGE GY-BK



KEYSTONE ADVANTAGE
LATCH 2-SIDED



KEYSTONE® SELF-LOCKING
PANICLATCH



D&D Technologies®

* More Options Available On Request *



CONTEMPORARY
POST LATCH



SHUT IT POWDER COATED FACE
MOUNT BOLT-ON (OPENS TO 180°)



LOKKBOLT PREMIUM
DROP-BOLT



MAGNALATCH® SERIES
3 VERTICAL PULL

safeTECH //
HARDWARE



* Available in 10" and 22"

MAGNETIC TOP
PULL LATCH

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DFSVINYL.CA




ACCESSORIES



2.5" X 4"
GATE POST INSERT



HD ALUMINUM INSERT



96"
GATE POST INSERT



2" X 6" RAIL INSERT



48" PIPE WITH BASEPLATE



70" I-BEAM WITH FLANGE



QUICK CONNECT TEMPLATE BRACKET



TEMPLATE BRACKET

24

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DFSVINYL.CA



ACCESSORIES



5" available in all colours

NEW ENGLAND CAP



5" in White

INTERNAL FLAT CAP



5" available in all colours

EXTERNAL FLAT CAP



5" in White

GOTHIC CAP



2.5"x4 available in all colours

FLAT GATE CAP



7/8"x3" in White

DOG EAR PICKET CAP



7/8"x3" in White

SPADE PICKET CAP




1.5"x1.5" in White

SPIKE PICKET CAP





ACCESSORIES



Available for 2" x 3.5" or
2" x 6" rail in White

ARBOR RAIL CAP



Available for 2" x 3.5" or 2" x 6"
in White Rail

FLAT RAIL CAP




Available for 5" Posts in all colours

2PCS BASE COVER



Available for 2" x 3.5" or 2" x 6"
in White Rail

STRAIGHT RAIL MOUNT



Available in 2" x 3.5" in White

ANGLE RAIL MOUNT



Available in 4" in White

SIDE MOUNT SOLAR LIGHT

26

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DFSVINYL.CA



DIRECT FENCING SUPPLY

TOP RAIL TIE (TRT)



WHAT DOES THE TOP RAIL TIE (TRT) DO?

- Replaces rail notching or keeper screws.
- Distributes undue stress from the top rail to the strongest part of the post.
- Eliminates post failures at the routed holes from incorrect stressing.



WHAT CAN THE TRT DO FOR YOU?

- When you install your fence the bottom rail will not come out because it is held secure between the pipe. The upper rail still needs to be secured and the TRT fixes this problem for you.
- The TRT eliminates the need for notching which takes time and makes for very difficult disassembly if ever required, especially in cool climates.
- Adds a professional finish to the top rail adjustments.

Our TRT allows you to install vinyl fence without causing undue stress on the post by securely fastening the top rail within a PVC post.

27

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DFSVINYL.CA



DIRECT FENCING SUPPLY

DFS POST LEVELLING COLLARS (PLC)



DFS post levelling collars are simply the best post-to-pipe pole levelling system on the market today. Our PLC allows you to install your steel posts without using concrete.



SOME FACTS

- Stronger one-piece design
- Maximum adjustability—slot extends to outer diameter
- Quicker and more accurate than two-piece design
- Flexible enough to fit over slightly “mushroomed” pipe
- Internal ridge keeps it from sliding during installation
- Easy to repair the fence and replace the posts since they are not concreted into the ground
- Cleaner—no left over dirt tailings after post installation. Save money on labour, concrete the expense to agar holes and remove the dirt tailings.
- Quicker install, no need to wait for concrete to set and hope your posts do not move as the concrete dries.



Your customers will be pleased with a clean, damage-free installation—without the need of a skid steer, auger or concrete mixer. You will save money on vinyl because the PVC post length stays above grade—a six-foot fence requires only a six-foot PVC post. Our post collars have been proven in some of the harshest climates and most difficult soil conditions in Canada.

28

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



WWW.PARKMEDIA.CA



WWW.DFSVINYL.CA

POST POUNDER




The DFS Post Pounder uses a 2 stroke 52CC gasoline engine that has the power you need to drive your pipe into the ground. Built for durability and power, this versatile post pounder will not only handle the galvanized steel pipe for a vinyl fence but it also accommodates other sizes of posts and pipe. The sleeve adaptors that are included are 2", 2.75", and 4".

The DFS Post Pounder will save you time and the back-breaking effort needed to pound your pipe in by hand. Put it to the test and you will see its uncompromising quality and effortless post-pounding. Your post pounder also comes with a fuel mixing can, tool kit, grease, and a rugged carrying case making portability even easier.

Save time and money with your DFS Post Pounder.





QuoteKing by Park Media is an innovative, web-based application designed to simplify the process of obtaining accurate fencing quotes. With its user-friendly interface, customers can easily input their fencing requirements and explore a variety of options, including, vinyl fence, ornamental fence, and sound barrier. The platform also enables users to archive and edit their project, providing flexibility to make updates or adjustments as needed. Pricing can be customized, ensuring precise control over project budgets. Built to handle fencing solutions designed for durability and performance, QuoteKing is the ultimate resource for efficient project management and enhancing

QUOTEKING FEATURES:

Versatile Product Support:

- ▶ Vinyl Fencing
- ▶ Ornamental Fencing
- ▶ Sound Barrier Fencing

User-Friendly Interface:

- ▶ Easily input project requirements and receive accurate quotes

Project Management:

- ▶ Archive and edit projects for future reference or adjustments

Pricing Flexibility:

- ▶ Customize and update prices specific to each project

Efficiency and Simplicity:

- ▶ Streamlines the entire process, making it easier to manage your fencing projects

DFS Dealer Priority:

- ▶ Order one FTL (Full Truckload) of fencing materials as a stocking dealer, get a free QuoteKing dealer account

30





CANADA'S TRUSTED FENCE SUPPLIER

TOLL FREE: 1-888-751-5324

PHONE: 306-242-7938

FAX: 306-668-1055

88 PREMIUM WAY,
38236 RANGE ROAD 3052
SASKATOON, SK S7P 0G7

INFO@DIRECTFENCINGSUPPLY.CA

WWW.DIRECTFENCINGSUPPLY.CA

INNOVATIVE PRODUCTS FOR THE FENCE INDUSTRY