



HARDWARE COLLECTION

HINGES • LATCHES • ACCESSORIES



**APEX SERIES™ TWO-SIDED
LOCKABLE NYLON
GATE LATCH**



**APEX SERIES™
SELF-CLOSING
NYLON GATE HINGE**



SS OR STEEL GATE LATCH



**SS OR STEEL 2-1/2" WRAP-AROUND
SELF-CLOSING HINGE**



INNOVATIVE PRODUCTS FOR THE FENCE INDUSTRY



VINYL HARDWARE

HINGES

NYLON

APEX Series™ Self-Closing Nylon Gate Hinge



- ▶ Post and Gate flanges: 1-3/4" (W) X 1-3/8" (D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per box @ 33lbs



AT-H1APEX-BKNY Black with stainless steel self-drilling screws

CornerStone® 2 Non-Adjustable Self-Closing Hinge



Point-Load
Tested to
1500 lbs
per pair!

- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per box @ 33lbs



C2H100N-SD-BK Black with stainless steel self-drilling screws

CornerStone® Adjustable Self-Closing Hinge



Point-Load
Tested to
2000 lbs
per pair!

- ▶ Easy Turn-N-Go™ tension adjustment with 1/4" Allen wrench *included
- ▶ Easy Tension Release with most screwdrivers
- ▶ Self-closing, adjustable closing speeds
- ▶ Durable glass-filled nylon material
- ▶ Light-duty design with closing power up to 60 lbs.
- ▶ 20 pair per case @ 26 lbs.
- ▶ Tested to 1 MILLION Cycles



C2H095-SD-BK Black with stainless steel self-drilling screws.

1

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





VINYL HARDWARE



Point-Load
Tested to
2000 lbs
per pair!

CornerStone® 2 Adjustable Self-Closing Hinge

- ▶ Horizontally adjustable to 1.0"
- ▶ Vertically adjustable to 1.0"
- ▶ Fits both right and left-hand applications
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 10 pair per box @ 30lbs

**NATIONWIDE
INDUSTRIES**

C2H095-BK Black with stainless steel self-drilling screws

C2H300F-SD-WH* White with stainless steel self-drilling screws

*Special Order

STAINLESS STEEL



Adjustable Stainless Steel Self-Closing Hinge

- ▶ Post flange: 3.5"(H) x 3.5"(W) x 3.5"(D)
- ▶ Gate flange: 3.5"(H) x 2.75"(W) x 1.25"(D)
- ▶ Horizontally adjustable
- ▶ Enclosed spring with tension adjustment
- ▶ 12 pair per box @ 42lbs

**ATLAS
HARDWARE™**

AT-H38951-BKSS Black with stainless steel self-drilling screws

2

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





VINYL HARDWARE



Self Closing 2.5" U-Hinge Set-Stainless Steel-Black

- ▶ Enclosed spring with tension adjustment
- ▶ 12 sets per box
- ▶ Fits 2-1/2" Gate Side Rail

AT-H25UH-BKSS Black for 2 1/2" gate frames



Adjustable Stainless Steel Self-Closing Hinge Small Profile

- ▶ 16 sets per box 35LBS

AT-H38959-BKSS Black with stainless steel self-drilling screws



MILD STEEL



Adjustable Steel Self-Closing Hinge

- ▶ Post Flange (3 1/2" x 1 1/4")
- ▶ Gate Flange (3 1/2" x 1 1/4")
- ▶ Horizontally adjustable
- ▶ Spring tension adjustable
- ▶ 20 Sets per box @ 40 LBS

AT-H38951-BKST Black



Steel 2" Self-Closing Hinge Wrap Around

- ▶ Post Flange (3 1/2" x 1 1/4")
- ▶ Gate Flange 2" Wrap-Around
- ▶ Horizontally adjustable
- ▶ Spring tension adjustable
- ▶ 12 pair per box @ 45lbs

AT-H20UH-BKST Black



LATCHES

NYLON

APEX Series™ Two-Sided Lockable Nylon Gate Latch



- ▶ Super-strong polymer and stainless steel spring construction
- ▶ Allow entry from both sides
- ▶ Key lockable from both sides
- ▶ Reversible for left-handed or right-handed gate
- ▶ 2 sided-fixing legs for faster alignment and add strength
- ▶ Pre-measured spindle & all fasteners included



AT-L1APEX-BKNY Black with stainless steel self-drilling screws

Keystone® Latch



- ▶ Locking feature accessible from both sides
- ▶ Reversible for right-hand or left-hand use
- ▶ Glass-filled nylon housing
- ▶ Thumb release button on one side, gravity latch lever on opposite side
- ▶ Stainless steel screws included
- ▶ 20 per box @ 23lbs



KLADV-P2SD-BK Black (Nylon)

KLADV-P2SD-WH White (Nylon)

Keystone® Self-Locking PanicLatch



- Self-Locking anti-tamper design
- Easy exit with large button
- Secure Entry with 6 pin key
- 6 per box @ 20lbs
- Use with KPL-RPA for chain link



KPL-P2SD-BK Black with self-drilling screws.





VINYL HARDWARE

Mechanical Keypad Lever Lock



- ▶ Keeper has vertical adjustment and needs to be located on the post
- ▶ Fits a gate frame of 2"-5"
- ▶ Reversible for left and right handed use
- ▶ 10 per box @ 15lbs
- ▶ 2-sided

2835JBMGDC Black

**NATIONWIDE
INDUSTRIES**

Adapter for Keypad Lever Lock



- ▶ Mechanical Combination Locks - No electronics
- ▶ Passage function may be set for exiting without code
- ▶ Easy code change with any amount of numbers
- ▶ Dead locking spring latch
- ▶ Slip clutch design - No damage to lock if handle is pushed down too hard
- ▶ Locks never need lubrication
- ▶ 10 per box

2835-ADAPTER-BK Black

**NATIONWIDE
INDUSTRIES**

5

CALL TOLL-FREE: 1-888-751-5324



directfencingsupply.ca





VINYL HARDWARE



SL-25 Pool Latch

- ▶ Stainless steel & fiber-reinforced polymers
- ▶ E-coated for weather resistance
- ▶ UV stabilized
- ▶ Rust proof
- ▶ Reliable latching system
- ▶ Simple installation
- ▶ Fits most gate designs
- ▶ Ideal for pool & pet gates
- ▶ Available in 10" & 22"

SL-25 10" Black

SL-50 22" Black



MagnaLatch® Series 3 Vertical Pull

- ▶ Magnetic self-latching design
- ▶ Fits most gate materials
- ▶ Reversible left or right-hand use
- ▶ Lock & unlocks from both sides
- ▶ Rekeyable 6-pin security lock
- ▶ Visible locked/unlocked indicator
- ▶ No jamming or sticking
- ▶ 50% stronger, 2M-cycle tested

ML3VP Black





VINYL HARDWARE

MILD STEEL

Stainless Steel Gate Latch



- ▶ Stainless steel construction
- ▶ Allows entry from both sides
- ▶ Padlockable on both sides (up to 5" post)
- ▶ Reversible mounting (right or left hand)
- ▶ Adjustable strike bar for alignment
- ▶ Return spring for reversible mounting
- ▶ Mounts around corner of post and gate frame
- ▶ Stainless steel screws included
- ▶ 20 per box @ 37 lbs

AT-L38308-BKSS Black



Flip Latch



- ▶ Thicker gauge steel for improved strength and durability
- ▶ Padlockable for added security
- ▶ Upgraded automatic welding for consistent quality
- ▶ All fasteners included
- ▶ Ideal for dumpster enclosures
- ▶ Great for double swing gates
- ▶ 10 pcs per box @ 44 lbs

AT-LDGFL-BKST Black



Steel Intermediate Gate Latch



- ▶ Reversible mounting (right- or left-handed)
- ▶ Allows entry from both sides
- ▶ Padlockable on inside
- ▶ Adjustable for right or left hand gate opening
- ▶ Two-side activated latch design
- ▶ Ideal for narrow gate frames and double swing gates
- ▶ Smooth, secure latching operation
- ▶ All fasteners included
- ▶ 10 pcs per box @ 22 Lbs

AT-LXY38322-BKST Black



7

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





VINYL HARDWARE

ACCESSORIES

NYLON

Gate Handle



- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.25"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 7" and handle is 1.75" deep
- ▶ Designed for our Canadian climate
- ▶ 50 per box



AT-GHDFSSD-BK Black with stainless steel self-drilling screws
AT-GHDFSSD-WH White with stainless steel self-drilling screws

Gate Handle with Bumper



- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 per box @ 25lbs
- ▶ Also available in quantities of 10



NW6143S-SD-BK Black with stainless steel self-drilling screws
NW6143S-SD-WH White with stainless steel self-drilling screws

*Rubber pad backing absorbs gate slamming shock, reducing latch wear





VINYL HARDWARE



36" Stainless Steel Key Locking Drop Rod

- ▶ Add the appeal of a key lock to your drop rod
- ▶ Anti-theft protection
- ▶ The handle & brackets are made of low-maintenance, glass filled nylon
- ▶ The rods are 300 series stainless steel
- ▶ Available with Black or White brackets
- ▶ 2-sided bracket attachment
- ▶ Stainless steel screws included
- ▶ 10 per box @ 36lbs

NW38305KL-36SSB-SD Black
NW38305KL-36SSW-SD White

NATIONWIDE
INDUSTRIES

ALUMINUM



GATE BRACE

- ▶ Aluminum brace
- ▶ Powder-coated black
- ▶ Accommodated Gate from 36" to 72" Wide
- ▶ Prevents and Fixes Gate from Sagging
- ▶ Adjustable Assemble Length
- ▶ All Fasteners Included

AT-GB-BKAL

ATLAS
HARDWARE™





VINYL HARDWARE

MILD STEEL



HD Vinyl Gate Wheel

- ▶ Thicker Gauge Steel Improves Overall Strength and Durability
- ▶ 6" Rubber Wheel with Double Sealed Bearing Offers Smooth Riding
- ▶ Spring-Loaded Mechanism, Great for Uneven Grounds
- ▶ Wide Bracket Provides Strong Support to Heavy Gates from Sagging
- ▶ All Fasteners Included

AT-GW10-BKST Black



36" Steel Drop Rod with Stainless Steel Brackets

- ▶ 36" Long, 5/8" O.D. Drop Rod
- ▶ 2-Sided Dual Guides
- ▶ Padlockable
- ▶ Retention Ears Anti-Theft Protection
- ▶ All Fasteners Included
- ▶ Stainless Steel Brackets
- ▶ 10 pcs per box @ 36lbs

AT-DR38307-BKSTSS Black



10

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca



HINGES

Heavy Duty Self-Closing Hinge

- ▶ Fits 1-3/8" to 1-7/8" gate frames
- ▶ Fits 2-3/8" to 2-7/8" posts
- ▶ 10 per box @ 32lbs

CL-7211-BK Black
CL-7211-GY Gray



Heavy Duty Self-Closing Hinge

- ▶ 4 Fits 1-3/8" to 1-7/8" gate frames
- ▶ Fits 4" posts
- ▶ 10 per box @ 35lbs

CL-7212-BK Black
CL-7212-GY Gray

NATIONWIDE
INDUSTRIES™

APEX Series™ Nylon Round Post Adapter

- ▶ Designed for 1-7/8", 2-3/8", and 2-7/8" round posts
- ▶ Compatible with 1-3/8" or 1-5/8" gate frames
- ▶ Horizontally adjustable up to 1/4"
- ▶ Vertically adjustable up to 1/2"
- ▶ Suitable for right- or left-hand installations
- ▶ Includes stainless steel self-drilling screws
- ▶ 4 pcs per bag
- ▶ **AT-200RPA-BK** – 1-7/8"
- ▶ **AT-238RPA-BK** – 2-3/8"
- ▶ **AT-278RPA-BK** – 2-7/8"



ATLAS
HARDWARE™





CHAIN LINK HARDWARE

LATCHES



Keystone® Self-Locking PanicLatch™

- ▶ 6 per box @ 9lbs
- ▶ (use with kpl-rpa for chain link)

KPL-P2SD-BK Black.

**NATIONWIDE
INDUSTRIES™**



Keystone® Self-Locking PanicLatch™ Round Post Adaptor

- ▶ Keystone® Self-Locking Paniclatch™ sold separately (adapter only)
- ▶ Designed to work on 2" to 6-5/8" on the latch side (post) and 1-3/8" to 2" on the keeper side (gate).
- ▶ 6 per box @ 9lbs

KPL-RPA-BK Black.

**NATIONWIDE
INDUSTRIES™**





CHAIN LINK HARDWARE


ACCESSORIES



4" Nylon Cantilever Roller with Shield

- ▶ 4" x 2-3/8"
- ▶ 2 per box @ 35lbs

WI-CR3-N-TBC (CL-CRNYL4C-S)



Chain Link to Wood Panel Brackets

- ▶ Wood to chain link bracket
- ▶ Pre-Galvanized
- ▶ Heavy-Duty Steel Construction
- ▶ All Fasteners Included
- ▶ Fits 2-3/8" Pipe
- ▶ 50 per box @31 lbs

AT-BWP238





WOOD HARDWARE



Blunt 'T' Hinge

- ▶ Zinc plate steel with black finish
- ▶ 1 3/4" lag screws for fence
- ▶ 1 3/4" lag screws for gate
- ▶ 20 pair per box @ 40lbs

AT-HBT9413-BKST Black



Contemporary Post Latch

- ▶ Stainless Steel, Powder-Coated Latch
- ▶ Includes decorative handle accessory
- ▶ Thicker gauge steel improves overall strength and durability
- ▶ Unique features automatically compensate for gate sag
- ▶ Overcome ground settling with vertical and horizontal adjustment
- ▶ Corrosion resistant with the most complete finish coverage on the market
- ▶ Strikers heads designed to prevent the bolt from slipping through the latch

210006 Black



Heavy-Duty Strap Hinge

- ▶ Superior strength and appearance – no rough edges
- ▶ Thicker gauge steel improves overall strength and durability
- ▶ Vertical and horizontal adjustment overcomes ground sag
- ▶ Corrosion resistant – Most complete finish coverage
- ▶ Hinges will not bind, powder-coated before assembly
- ▶ Patented polymer bearings and high-tech lubricants prevent binding

310008 Black



Flip Latch

- ▶ Thicker gauge steel for improved strength and durability
- ▶ Padlockable for added security
- ▶ Upgraded automatic welding for consistent quality
- ▶ All fasteners included
- ▶ Ideal for dumpster enclosures
- ▶ Great for double swing gates
- ▶ 10 pcs per box @ 44 lbs

AT-LDGFL-BKST Black



HINGES

Self-Close SS Adj Hinge Small Profile



- ▶ Narrow to narrow
- ▶ Horizontally adjustable
- ▶ Adjustable self-closing mechanism
- ▶ Stainless steel
- ▶ Tension adjustment tool & all fasteners included
- ▶ Minimum post size 2"
- ▶ Minimum gate post size 1-1/4"
- ▶ Max gate gap 1-3/4"
- ▶ 16 pair per box @ 35 Lbs

AT-H38959-BKSS Black



APEX Series™ Self-Closing Nylon Gate Hinge



- ▶ Post and Gate flanges: 1-3/4" (W) X 1-3/8" (D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per box @ 33lbs

AT-H1APEX-BKNY Black with stainless steel self-drilling screws



CornerStone®2 Non-Adjustable Self-Closing Hinge



- ▶ Post and Gate flanges: 1"(W) x 1"(D)
- ▶ Heavy duty design produced with durable glass-filled nylon
- ▶ 1/4" Allen wrench included for easy Turn-N-Go™ tension adjustment
- ▶ 20 pair per box @ 33lbs

C2H100N-SD-BK Black with stainless steel self-drilling screws





ORNAMENTAL HARDWARE



Heavy Duty Sealed Bearing Hinge

- ▶ Heavy-Duty Steel Construction
- ▶ Fits 1-1/2" Post and 1-1/2" Gate Frame
- ▶ Double Sealed Bearing Ensures Smooth Open & Close
- ▶ Screws not included
- ▶ Minimum post size 1-1/2"
- ▶ Minimum gate post size 1-1/2"
- ▶ Bolt to bolt
- ▶ Sold as individual units

AT-HD880012-BKST Black



Standard Square Hinge Set

- ▶ Fits 1.75" Gate Frame
- ▶ Black

ORGH17520-BK fits 2" Post

ORGH17525-BK fits 2-1/2" Post



Shut It Powder Coated Face Mount Bolt-on (Opens to 180°)

- ▶ Opens to 180° for unobstructed pass through
- ▶ Achieve gate gaps as small as 1/2" (13mm)
- ▶ Horizontally adjustable to 1/2" (13mm) for perfect installations
- ▶ Bolt-on
- ▶ High-temp sealed bearings
- ▶ No greasing or maintenance required on sealed bearings
- ▶ Load rating per gate: 2,000 lb (900kg)
- ▶ Max gate weight: 1,100 lb (500kg)

CI3720B Black



16

CALL TOLL-FREE: 1-888-751-5324



directfencingsupply.ca



LATCHES

APEX Series™ Two-Sided Lockable Nylon Gate Latch



- ▶ Super-strong polymer and stainless steel spring construction
- ▶ Allow entry from both sides
- ▶ Key lockable from both sides
- ▶ Reversible for left-handed or right-handed gate
- ▶ 2 sided-fixing legs for faster alignment and add strength
- ▶ Pre-measured spindle & all fasteners included



AT-L1APEX-BKNY Black with stainless steel self-drilling screws

LokkLatch® REGULAR S3



- ▶ Ideal latch for home and garden gates (non safety)
- ▶ Key lockable - no need for padlocks or chains
- ▶ With or without EAB (External Access Button)

Note: Locking the External Access Button does not simultaneously lock the Main Latch

- ▶ Quick and easy to install on all gate materials
- ▶ Strong polymer design will not rust or stain
- ▶ Marine-grade stainless steel components
- ▶ Vertically and horizontally adjustable
- ▶ Round-post model available



LL3ABL Black

Keystone® Self-Locking PanicLatch



- ▶ Self-Locking anti-tamper design
- ▶ Easy exit with large button
- ▶ Secure Entry with 6 pin key
- ▶ 6 per box @ 20lbs
- ▶ Use with KPL-RPA for chain link



KPL-P2SD-BK Black with self-drilling screws.

Fork Latch Assembly



- ▶ Fits 1.75" Gate Frame
- ▶ Black

ORGL17520-BK fits 2" Post

ORGL17525-BK fits 2-1/2" Post





ORNAMENTAL HARDWARE



Steel Intermediate Gate Latch

- ▶ Reversible mounting (right- or left-handed)
- ▶ Allows entry from both sides
- ▶ Padlockable on inside
- ▶ Adjustable for right or left hand gate opening
- ▶ Two-side activated latch design
- ▶ Ideal for narrow gate frames and double swing gates
- ▶ Smooth, secure latching operation
- ▶ All fasteners included
- ▶ 10 pcs per box @ 22 Lbs

AT-LXY38322-BKST Black



SL-25 Pool Latch

- ▶ Stainless steel & fiber-reinforced polymers
- ▶ E-coated for weather resistance
- ▶ UV stabilized
- ▶ Rust proof
- ▶ Reliable latching system
- ▶ Simple installation
- ▶ Fits most gate designs
- ▶ Ideal for pool & pet gates
- ▶ Available in 10" & 22"

SL-25 10" Black

SL-50 22" Black



MagnaLatch® Series 3 Vertical Pull

- ▶ Magnetic self-latching design
- ▶ Fits most gate materials
- ▶ Reversible left or right-hand use
- ▶ Lock & unlocks from both sides
- ▶ Rekeyable 6-pin security lock
- ▶ Visible locked/unlocked indicator
- ▶ No jamming or sticking
- ▶ 50% stronger, 2M-cycle tested

ML3VP Black



18

CALL TOLL-FREE: 1-888-751-5324

directfencingsupply.ca





ORNAMENTAL HARDWARE

ACCESSORIES



Gate Handle

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 1.25"(W) x 1.25"(D) for durable attachment
- ▶ Overall height is 7" and handle is 1.75" deep
- ▶ Designed for our Canadian climate
- ▶ 50 per box



AT-GHDFSSD-BK Black with stainless steel self-drilling screws

AT-GHDFSSD-WH White with stainless steel self-drilling screws



Gate Handle with Bumper

- ▶ Made with durable glass-filled nylon with UV inhibitors
- ▶ Flanges are each 2"(W) x 1.75"(D) for durable attachment
- ▶ Overall height is 4.5" and handle is 1" deep
- ▶ Very comfortable and easy to grasp
- ▶ 50 per box @ 25lbs
- ▶ Also available in quantities of 10



NW6143S-SD-BK Black with stainless steel self-drilling screws

NW6143S-SD-WH White with stainless steel self-drilling screws

*Rubber pad backing absorbs gate slamming shock, reducing latch wear



36" Long 1" Commercial Drop Rod W/Lock Tab

- ▶ 36" Long, 1" O.D. Drop Rod
- ▶ 1-Piece Dual Guide
- ▶ Padlockable
- ▶ Retention Ears Anti-Theft Protection
- ▶ All Fasteners Included
- ▶ Steel



AT-DRHD3830136C-BKST Black





ORNAMENTAL HARDWARE



36" Steel Drop Rod with Stainless Steel Brackets

- ▶ 36" Long, 5/8" O.D. Drop Rod
- ▶ 2-Sided Dual Guides
- ▶ Padlockable
- ▶ Retention Ears Anti-Theft Protection
- ▶ All Fasteners Included
- ▶ Stainless Steel Brackets
- ▶ 10 pcs per box @ 36lbs

AT-DR38307-BKSTSS Black



Two Piece Cover Plate for 2" Ornamental Floor Bracket

- ▶ Accommodates a 2" x 2" post
- ▶ Profile height: 1 7/8"
- ▶ Flange: 4 3/4" x 4 3/4"
- ▶ 50 per box @ 24lbs

ORFC20-BK Black



Two Piece Cover Plate for 2 1/2" Ornamental Floor Bracket

- ▶ Accommodates a 2 1/2" x 2 1/2" post
- ▶ Profile height: 1.9"
- ▶ Flange: 5 1/5" x 5 1/5"
- ▶ 50 per box @ 29lbs

ORFC25-BK Black



20

CALL TOLL-FREE: 1-888-751-5324



directfencingsupply.ca





DIRECT FENCING SUPPLY

CANADA'S TRUSTED FENCE SUPPLIER

TOLL FREE: 1-888-751-5324

PHONE: 306-242-7938

FAX: 306-668-1055

88 PREMIUM WAY,
38236 RANGE ROAD 3052
SASKATOON, SK S7P 0G7

INFO@DIRECTFENCINGSUPPLY.CA

WWW.DIRECTFENCINGSUPPLY.CA